

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|------------------------|---------------------|
| 1 | BRS | L1 | 24 | 6029196.uref. | USPAT; US-PGP UB | 2004/04/29 10:54 |
| 2 | BRS | L3 | 0 | L1 and L2 | USPAT; US-PGP UB | 2004/04/29 10:54 |
| 3 | BRS | L4 | 39 | L1 L2 | USPAT; US-PGP UB | 2004/04/29 10:54 |
| 4 | BRS | L5 | 37 | L4 and @ad<20000620 | USPAT; US-PGP UB | 2004/04/29 11:19 |
| 5 | BRS | L6 | 4 | L5 and relay\$3 | USPAT; US-PGP UB | 2004/04/29 10:55 |
| 6 | BRS | L7 | 68 | (relay adj server) and @ad<20000620 | USPAT; US-PGP UB | 2004/04/29 11:09 |
| 7 | BRS | L8 | 72 | (relay adj server) near5 (identifier\$1 or id\$1 or url or address) | USPAT; US-PGP UB | 2004/04/29 11:19 |
| 8 | BRS | L9 | 8 | 8 and @ad<20000620 | USPAT; US-PGP UB | 2004/04/29 11:16 |
| 9 | BRS | L10 | 1405 | (provid\$3 near3 (url or address or identifier)) with (server\$1 or proxy or relay) | USPAT; US-PGP UB | 2004/04/29 11:19 |
| 10 | BRS | L11 | 498 | 10 and @ad<20000620 | USPAT; US-PGP UB | 2004/04/29 11:19 |
| 11 | BRS | L12 | 0 | 8 same configur&7 | USPAT; US-PGP UB | 2004/04/29 11:20 |
| 12 | BRS | L13 | 6 | 8 same configur\$7 | USPAT; US-PGP UB | 2004/04/29 11:22 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|------------------------|---------------------|
| 13 | BRS | L2 | 15 | 5983273.uref. | USPAT; US-PGP UB | 2004/04/29 11:26 |
| 14 | BRS | L14 | 18 | 725/\$.ccls. and 709/220-222.ccls. | USPAT; US-PGP UB | 2004/04/29 11:27 |
| 15 | BRS | L15 | 16 | 14 and configur\$7 | USPAT; US-PGP UB | 2004/04/29 11:30 |
| 16 | BRS | L16 | 7394 | (transmit\$6 send\$3 provid\$3 transfer\$5) with (URL address id identification) with (server relay proxy) with (client computer appliance tv television phone telephone node) | USPAT; US-PGP UB | 2004/04/29 11:32 |
| 17 | BRS | L17 | 325 | (transmit\$6 send\$3 provid\$3 transfer\$5) with (URL address id identification) with (server relay proxy) with (client computer appliance tv television phone telephone node) with (configurat\$3 profile personaliz\$6) | USPAT; US-PGP UB | 2004/04/29 11:35 |
| 18 | BRS | L18 | 125 | L17 and (@ad<20000620) | USPAT; US-PGP UB | 2004/04/29 11:36 |
| 19 | BRS | L19 | 218 | (transmit\$6 send\$3 provid\$3 transfer\$5) with (URL address) with (server relay) with (client computer appliance tv television phone telephone node) with (configurat\$3 profile personaliz\$6) | USPAT; US-PGP UB | 2004/04/29 11:40 |
| 20 | BRS | L20 | 93 | 19 and (@ad<20000620) | USPAT; US-PGP UB | 2004/04/29 11:40 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|------------------------|---------------------|
| 21 | BRS | L21 | 64 | ((transmit\$6 send\$3 provid\$3 transfer\$5) near3 (URL address)) with (server relay) with (client computer appliance tv television phone telephone node) with (configurat\$3 profile personaliz\$6) | USPAT; US-PGP UB | 2004/04/29 11:43 |
| 22 | BRS | L22 | 25 | 21 and (@ad<20000620) | USPAT; US-PGP UB | 2004/04/29 11:44 |
| 23 | BRS | L23 | 64 | ((transmit\$6 send\$3 provid\$3 transfer\$5) near3 (URL address)) with (server relay) with (client computer appliance tv television phone telephone node (set adj top adj box)) with (configurat\$3 profile personaliz\$6) | USPAT; US-PGP UB | 2004/04/29 11:55 |
| 24 | BRS | L25 | 25 | 23 and (@ad<20000620) | USPAT; US-PGP UB | 2004/04/29 12:00 |
| 25 | BRS | L26 | 88 | ((transmit\$6 send\$3 provid\$3 transfer\$5) near5(URL address)) with (server relay) with (client computer appliance tv television phone telephone node (set adj top adj box)) with (configurat\$3 profile personaliz\$6) | USPAT; US-PGP UB | 2004/04/29 11:55 |
| 26 | BRS | L27 | 33 | 26 and (@ad<20000620) | USPAT; US-PGP UB | 2004/04/29 12:08 |
| 27 | BRS | L28 | 70 | 5793972.uref. | USPAT; US-PGP UB | 2004/04/29 12:08 |
| 28 | BRS | L30 | 66 | 28 and (@ad<20000620) | USPAT; US-PGP UB | 2004/04/29 12:08 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---------------------------------------|------------------------|---------------------|
| 29 | BRS | L31 | 50 | 30 and (configur\$6 personaliz\$5) | USPAT; US-PGP UB | 2004/04/29 12:09 |

| | Type | Hits | Search Text |
|----|------|-------|---|
| 25 | BRS | 703 | 709/221.ccls. |
| 26 | BRS | 1299 | 709/220.ccls. |
| 27 | BRS | 2407 | 709/219.ccls. |
| 28 | BRS | 74354 | (configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) |
| 29 | BRS | 0 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and 709/221.ccls. |
| 30 | BRS | 0 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and 709/220.ccls. |
| 31 | BRS | 6 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and 709/219.ccls. |
| 32 | BRS | 4 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and 709/219.ccls.) and @ad<20000620 |
| 33 | BRS | 20 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and @ad<20000620 |
| 34 | BRS | 6204 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay) |
| 35 | BRS | 313 | 709/221.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) |
| 36 | BRS | 629 | 709/220.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) |

| | Type | Hits | Search Text |
|----|------|------|--|
| 37 | BRS | 671 | 709/219.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) |
| 38 | BRS | 196 | (709/221.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node))) and @ad<20000620 |
| 39 | BRS | 307 | (709/220.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node))) and @ad<20000620 |
| 40 | BRS | 369 | (709/219.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node))) and @ad<20000620 |
| 41 | BRS | 138 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (profile adj server) |
| 42 | BRS | 4 | (((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (profile adj server)) and relay\$3) and @ad<20000620 |
| 43 | BRS | 99 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay with server with (appliance client device node computer)) and profile |
| 44 | BRS | 9 | (((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay with server with (appliance client device node computer)) and profile and (token tag rfid (radio adj frequency adj (identification id)))) and @ad<20000620 |
| 45 | BRS | 1 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and ((remote token tag rfid (radio adj frequency adj (identification id))) with (URL address) with (relay adj server)) |

| | Type | Hits | Search Text |
|----|------|------|--|
| 46 | BRS | 7 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and ((remote token tag rfid (radio adj frequency adj (identification id))) with (URL address) with (relay with server)) |
| 47 | BRS | 526 | (configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) near (interface) |
| 48 | BRS | 215 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) near (interface)) and @ad<20000620 |
| 49 | BRS | 5 | ((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) near (interface)) and @ad<20000620) and 709/219.ccls. |
| 50 | BRS | 2 | ((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) near (interface)) and @ad<20000620) and 709/221.ccls. |
| 51 | BRS | 8 | ((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) near (interface)) and @ad<20000620) and 709/220.ccls. |
| 52 | BRS | 527 | (configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephon phone appliance (smart adj appliance) device computer client server node) near (interface) |
| 53 | BRS | 908 | (configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephon phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor) |
| 54 | BRS | 385 | ((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephon phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)) and @ad<20000620 |

| | Type | Hits | Search Text |
|----|------|-------|--|
| 55 | BRS | 3 | ((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)) and @ad<20000620) and 709/221.ccls. |
| 56 | BRS | 5 | ((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)) and @ad<20000620) and 709/219.ccls. |
| 57 | BRS | 11 | ((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)) and @ad<20000620) and 709/220.ccls. |
| 58 | BRS | 4 | ((token tag (remote adj device) rfid (radio frequency (id identification)))with(URL address))and (relay adj server) and ((profile configuration)adj server) |
| 59 | BRS | 0 | ((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)) and @ad<20000620) and (relay adj server) |
| 60 | BRS | 37176 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and @ad<20000620 |
| 61 | BRS | 20 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and @ad<20000620) and (relay adj server) |
| 62 | BRS | 64 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server) |

| | Type | Hits | Search Text |
|----|------|-------|--|
| 63 | BRS | 20 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and @ad<20000620 |
| 64 | BRS | 516 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay\$3 with (address URL)) |
| 65 | BRS | 243 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay\$3 with (address URL))) and @ad<20000620 |
| 66 | BRS | 76119 | (configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node) |
| 67 | BRS | 38230 | ((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node)) and @ad<20000620 |
| 68 | BRS | 20 | ((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node)) and @ad<20000620) and (relay adj server) |
| 69 | BRS | 252 | ((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node)) and @ad<20000620) and (relay\$3 with (address URL)) |
| 70 | BRS | 52 | ((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node)) and @ad<20000620) and (relay\$3 with (address URL) with server) |
| 71 | BRS | 28 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay with server with (appliance client device node computer)) and profile) and @ad<20000620 |

| | Type | Hits | Search Text |
|----|------|-------|---|
| 72 | BRS | 18 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (profile adj server)) and relay\$3 |
| 73 | BRS | 32 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay with server with (appliance client device node computer)) and profile and (token tag rfid (radio adj frequency adj (identification id))) |
| 74 | BRS | 9 | ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay with server with (appliance client device node computer)) and profile and (token tag rfid (radio adj frequency adj (identification id)))) and @ad<20000620 |
| 75 | BRS | 4 | ((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (profile adj server)) and relay\$3) and @ad<20000620 |
| 76 | BRS | 19376 | (configur\$6 reconfigur\$6 personaliz\$6) near (interface (program adj guide) application) |
| 77 | BRS | 72 | (configur\$6 reconfigur\$6 personaliz\$6) near (program adj guide) |
| 78 | BRS | 2 | ((configur\$6 reconfigur\$6 personaliz\$6) near (program adj guide)) and @ad<20000620) and relay\$3 |
| 79 | BRS | 35 | ((configur\$6 reconfigur\$6 personaliz\$6) near (program adj guide)) and @ad<20000620 |
| 80 | BRS | 3 | ((configur\$6 reconfigur\$6 personaliz\$6) near (program adj guide)) and @ad<20000620) and profile |
| 81 | BRS | 83 | (configur\$6 reconfigur\$6 personaliz\$6) near ((tv television interactive program) adj guide) |

| | Type | Hits | Search Text |
|----|------|------|--|
| 82 | BRS | 39 | ((configur\$6 reconfigur\$6 personaliz\$6) near ((tv television interactive program) adj guide)) and @ad<20000620 |

| | Type | Hits | Search Text |
|-----|------|------|--|
| 112 | BRS | 1301 | 709/220.ccls. |
| 113 | BRS | 704 | 709/221.ccls. |
| 114 | BRS | 1 | (709/220.ccls. 709/221.ccls.) and (relay adj server) |
| 115 | BRS | 1854 | 709/220.ccls. 709/221.ccls. |
| 116 | BRS | 1 | (709/220.ccls. 709/221.ccls.) and (relay adj server) |
| 117 | BRS | 133 | (709/220.ccls. 709/221.ccls.) and ((transfer\$4 send\$3 transmit\$6 provid\$3) with (URL address) with (server relay) with (computer client node tv television phone telephone appliance)) |
| 118 | BRS | 69 | ((709/220.ccls. 709/221.ccls.) and ((transfer\$4 send\$3 transmit\$6 provid\$3) with (URL address) with (server relay) with (computer client node tv television phone telephone appliance))) and @ad<20000620 |
| 119 | BRS | 66 | ((709/220.ccls. 709/221.ccls.) and ((transfer\$4 send\$3 transmit\$6 provid\$3) with (URL address) with (server relay) with (computer client node tv television phone telephone appliance))) and @ad<20000620) and (configur\$6 personaliz\$6) |